Coversation Starter for Botpress

Webchat API

> https://webchat.botpress.cloud/11cf5d84-ba87-4ff7-8393-914d3e60c257

Webhook API

> https://webhook.botpress.cloud/b4deb74d-8be2-4373-90e1-c28bebcbf58d

> Replace `YOUR_USER_KEY` and `YOUR_WEBHOOK_SECRET` with the applicable credentials.

Chat Operations

Create User

> POST /users

Submit a request to create a webchat user.

Headers

Name	Value	Description
`Content-Type`	`application/json`	Request body format.

Request body

The supplied request sends an empty JSON object.

```
{}
```

Curl

```
curl --location --request POST \
  --url 'https://webchat.botpress.cloud/11cf5d84-ba87-4ff7-8393-914d3e60c257/users' \
  --header 'Content-Type: application/json' \
  --data '{}'
```

Responses

> No response sample was supplied. HTTP status codes and response fields are not documented here.

Create Conversation

> POST /conversations

Submit a request to create a conversation using the supplied user key.

Headers

Name	Value	Description
`x-user-key`	`YOUR_USER_KEY`	User credential for the request.
`Content-Type`	`application/json`	Request body format.

Request body

The supplied request sends an empty JSON object.

```
{}
```

Curl

```
curl --location --request POST \
  --url 'https://webchat.botpress.cloud/11cf5d84-ba87-4ff7-8393-914d3e60c257/conversations' \
  --header 'x-user-key: YOUR_USER_KEY' \
  --header 'Content-Type: application/json' \
```

```
  --data '{}'
```

Responses

> No response sample was supplied. HTTP status codes and response fields are not documented here.

Webhook Operations

Submit Buyer and Seller Details

> POST https://webhook.botpress.cloud/b4deb74d-8be2-4373-90e1-c28bebcbf58d

Send a name, seller identifier and buyer identifier to the configured webhook.

Headers

Name	Value	Description
`Content-Type`	`application/json`	Request body format.
`x-bp-secret`	`YOUR_WEBHOOK_SECRET`	Secret configured for the webhook.

Request body parameters

Name	Type	Description
`name`	string	Name supplied to the webhook. Example: `rahul`.
`seller_id`	string	Seller identifier. Example: `14321376`.
`buyer_id`	string	Buyer identifier. Example: `65857057`.

Curl

```
curl --location --request POST \
  --url 'https://webhook.botpress.cloud/b4deb74d-8be2-4373-90e1-c28bebcbf58d' \
  --header 'Content-Type: application/json' \
  --header 'x-bp-secret: YOUR_WEBHOOK_SECRET' \
```

```
  --data '{
    "name": "rahul",
    "seller_id": "14321376",
    "buyer_id": "65857057"
  }'
```

Responses

> No response sample was supplied. HTTP status codes, response fields and downstream processing are not documented here.

The supplied webhook request does not include a user or conversation identifier. How these details are associated with a webchat conversation is not established by this sample.

Message Operations

Send Text Message

> POST /messages

Submit a text message to the specified conversation using the user key.

Headers

Name	Value	Description
`x-user-key`	`YOUR_USER_KEY`	User credential for the request.
`Content-Type`	`application/json`	Request body format.

Request body parameters

Name	Type	Description
`conversationId`	string	Identifier of the conversation receiving the message. Replace the example with your conversation identifier.
`payload`	object	Message content.
`payload.type`	string	`text` in this example.

`payload.text`	string	Text to send.

Curl

```
curl --location --request POST \
  --url 'https://webchat.botpress.cloud/11cf5d84-ba87-4ff7-8393-914d3e60c257/messages' \
  --header 'x-user-key: YOUR_USER_KEY' \
  --header 'Content-Type: application/json' \
  --data '{
    "conversationId": "conv_01M527QRHTG4M0MBPYHCAPDQ0B",
    "payload": {
      "type": "text",
      "text": "i need cnc cutting machine"
    }
  }'
```

Responses

> No response sample was supplied. HTTP status codes, response fields and bot reply delivery are not documented here.

Revision #1
Created 2026-11-03 06:18:11 UTC by Admin
Updated 2026-11-03 06:19:01 UTC by Admin