

# Agency Get Campaign

## API URL

https://api.versal.one/<uuid>

GET /agency/reportingCampaign

## Description

This API allows fetching a report for a specific company, identified by its `uuid`. The response contains the report data if available. If the company or users are not found, the appropriate error message is returned.

## Request Headers

Header	Type	Description	Constraints
Authorization	String	JWT token for user authentication and authorization.	Required. Must be in the format <code>Bearer [token]</code> .

## Request Parameters

Field	Type	Description	Constraints
uuid	String	UUID of the company for which the report is to be fetched.	Required.

## Response Codes

Status Code	Description
200	Success. Report data retrieved successfully.
403	Forbidden. Invalid HMAC signature.
400	Bad Request. Missing <code>uuid</code> parameter.

Status Code	Description
404	Not Found. No company found with the provided UUID or users not found for the given UUID.
500	Internal Server Error. An error occurred while fetching the report.

# Example Requests

## Request (Get Reporting Campaign):

```
GET /53d1bcd3-aaf0-45e1-9298-5395b6a27b61/agency/reportingCampaign
Authorization: Bearer 5395b6a27b61
```

## Response (Report Found - 200):

```
{
  "success": true,
  "message": "Report retrieved successfully.",
  "data": {
    "reportId": "12345",
    "reportName": "Campaign Analysis",
    "details": "Report details here..."
  }
}
```

## Response (Missing UUID - 400):

```
{
  "success": false,
  "message": "Bad Request: Missing uuid parameter"
}
```

## Response (No Company Found - 404):

```
{
```

```
"success": false,  
"message": "No company found with the provided uuid"  
}
```

#### Response (Users Not Found - 404):

```
{  
  "success": false,  
  "message": "Users not found with the provided uuid"  
}
```

#### Response (Invalid HMAC Signature - 403):

```
{  
  "success": false,  
  "message": "Forbidden: Invalid HMAC signature"  
}
```

#### Response (Internal Server Error - 500):

```
{  
  "success": false,  
  "message": "An error occurred while fetching the report.",  
  "error": "Error details here"  
}
```

---

## Notes

- **Authentication:** Ensure the JWT token is valid and authorized to access the reporting campaign data.
- **Validation:** The `uuid` parameter is required and should be provided in the request URL.
- **Error Handling:** If a 500 error occurs, check the error logs for details on what went wrong during the report retrieval process.