

Agency Template Reporting

API URI

https://api.versal.one/<uuid>

POST /agency/template

Description

This API enables agencies to submit and track template information. The client must provide a valid `uuid` as a query parameter and include the template details in the request body. If the `wam_id` is not provided, the template will automatically be reported as failed.

Request Headers

Header	Type	Description	Constraints
Authorization	String	Bearer token for authentication and authorization.	Required. Must be in the format <code>Bearer [token]</code> .

Query Parameters

Parameter	Type	Description	Constraints
uuid	String	Unique identifier for the agency.	Required. Must be a valid UUID format.

Request Body Parameters

Field	Type	Description	Constraints
template_name	String	Name of the template to be tracked.	Required.
phone_number	String	Phone number associated with the template.	Required.
wam_id	String	Unique identifier for the WhatsApp template. If not provided, the template will be reported as failed.	Optional.

Response Codes

Status Code	Description
403	Forbidden. Invalid HMAC signature.
400	Bad request. Missing <code>uuid</code> parameter or required fields in the request body.
404	No company found with the provided <code>uuid</code> .
500	Failed to save data to MongoDB or process the template data.

Example Requests

Request (Track Template):

```
POST 53d1bcd3-aaf0-45e1-9298-5395b6a27b61/agency/template
Authorization: Bearer 5395b6a27b61
{
  "template_name": "savetem",
  "phone_number": "6363978748",
  "wam_id": "wamkskdfj-lkskfdkskf"
}
```

Response (Success - 200):

```
{ "success": true, "message": "Template data processed successfully" }
```

Response (Missing UUID - 400):

```
{ "success": false, "message": "Bad Request: Missing uuid parameter" }
```

Response (Missing Fields - 400):

```
{ "success": false, "message": "Template name and phone number are required" }
```

Response (Invalid HMAC - 403):

```
{ "success": false, "message": "Forbidden: Invalid HMAC signature" }
```

Response (No Company Found - 404):

```
{ "success": false, "message": "No company found with the provided uuid" }
```

Response (MongoDB Failure - 500):

```
{ "success": false, "message": "Failed to save data in MongoDB. Please try again later." }
```

Response (Unexpected Error - 500):

```
{ "success": false, "message": "An unexpected error occurred while processing the template data. Please try again later." }
```

Notes

- **Authentication:** The authorization token must be valid and properly formatted. Invalid or missing tokens will result in a 403 error.
- **Field Validation:** The `template_name` and `phone_number` fields are required for this request.
- **WAM ID Handling:** If `wam_id` is not provided, the template will automatically be reported as failed.
- **Error Handling:** For 500 errors, consult server logs for more details.

Revision #3

Created 16 January 2025 05:30:29 by Lokesh Ravi

Updated 17 January 2025 04:09:06 by Admin