

# Send Template Messages

While sending a template message, the template contents are not sent. To send a template message, its media link [public link] & variable values [if any] are sent along with the template name and language

Broadcast with caution - Do not spam. Spamming will lead to the degradation of service and WhatsApp number getting blocked

## Sending Message

### The template has no parameter

```
curl --location 'https://api.versal.one/<client-id>' \
--header 'Authorization: Bearer <client-token>' \
--header 'Content-Type: application/json' \
--data '{
  "purpose": "sendtemplate",
  "to": <recepient phone number>,
  "template": <template name>,
  "code": <language code>
}'
```

sample data

```
--data '{
  "purpose": "sendtemplate",
  "to": "919999900000",
  "template": "conv_start_hi",
  "code": "en_US"
}'
```

### The template has image media

The image typically does not look like a regular parameter while creating the template. However, is a parameter

```

curl --location 'https://api.versal.one/<client-id>' \
--header 'Authorization: Bearer <client-token>' \
--header 'Content-Type: application/json' \
--data '{
  "purpose": "sendtemplate",
  "to": <recepient>,
  "template": "schedule",
  "code": "en",
  "components": [
    {
      "type": "header",
      "parameters": [
        {
          "type": "image",
          "image": {
            "link": "https://cdn.anuhealthyfood.in/images/missyourorders.png"
          }
        }
      ]
    }
  ]
}'

```

The link has to be publically accessible, or else the template won't be delivered to the user

## The template has body parameters

```

curl --location 'https://api.versal.one/<client-id>' \
--header 'Authorization: Bearer <client-token>' \
--header 'Content-Type: application/json' \
--data '{
  "purpose": "sendtemplate",
  "to": <recepient>,
  "template": "schedule",
  "code": "en",
  "components": [
    {
      "type": "body",
      "parameters": [

```

```

        {
            "type": "TEXT",
            "text": "Hemant Suryavanshi"
        },
        {
            "type": "TEXT",
            "text": "Blue USB Microphone"
        },
        {
            "type": "TEXT",
            "text": "12/12/2024"
        }
    ]
}
]
}'

```

In the above example, the template has three body variables. As depicted, only parameters are passed and not the entire body

## The template has body parameters and image media

```

curl --location 'https://api.versal.one/<client-id>' \
--header 'Authorization: Bearer <client-token>' \
--header 'Content-Type: application/json' \
--data '{
    "purpose": "sendtemplate",
    "to": <recepient>,
    "template": "schedule",
    "code": "en",
    "components": [
        {
            "type": "header",
            "parameters": [
                {
                    "type": "image",
                    "image": {
                        "link": "https://cdn.anuhealthyfood.in/images/missyourorders.png"
                    }
                }
            ]
        }
    ]
}'

```

```

        }
    ]
},
{
    "type": "body",
    "parameters": [
        {
            "type": "TEXT",
            "text": "Hemant Suryavanshi"
        },
        {
            "type": "TEXT",
            "text": "Blue USB Microphone"
        },
        {
            "type": "TEXT",
            "text": "12/12/2024"
        }
    ]
}
]
}'

```

In the above example, there is an image and three body parameters in the template

## Response

```

{
    "message": "Message sent successfully",
    "response_text":
    "{ \"messaging_product\": \"whatsapp\", \"contacts\": [{ \"input\": \"+16312924377\", \"wa_id\": \"16312924377\" }], \"messages\": [{ \"id\": \"wamid.HBgLMTYzMTI5MjQzNzcVAgARGBIxNEExODY3MjhGMDNGNDRBNjgA\", \"message_status\": \"accepted\" } ] }",
    "status": "200"
}

```

---

Revision #3

Created 7 December 2024 05:59:44 by Admin

Updated 7 December 2024 06:53:34 by Admin